





**BLACKBURNS**  
METALS LIMITED

Structural & Decorative Tube Bar & Sections Seamless Tube Hygienic Tube Structural & Decorative Tube Aluminium Butt Weld Fittings Hygienic Fittings Architectural Stainless Steel Rolled Products Mirror Polished Fittings Setting Industry Standards MIC 6 Rolled Products Stainless Steel Welded Mesh Seamless Pipe Welded Pipe Brass Seamless Butt Weld Fittings Welded Butt Weld Fittings Yellow Metals Fittings Seamless Butt Weld Fittings Stainless Steel Copper Structural & Decorative Tube Hygienic Tube Sign & Display Materials Seamless Tube Hygienic Tube Glazing Bar Flanges Fittings Rolled Products Nationwide Supply Solutions Welded Pipe Circle Polish Welded Mesh

Aluminium Section...

Polish MIC 6 Butt Weld Fittings Bar Seamless Butt Weld Fittings Welded Pipe Welded Butt Weld Fittings Flanges Seamless Tube Mirror Polish Fixtures & Fittings Hygienic Tube Stainless Steel Nationwide Supply Solutions Hygienic Fittings The Perfect Choice Bar & Sections Yellow Metals Welded Mesh Mirror Polish Aluminium Circle Polish Architectural Rolled Products Seamless Pipe Bronze Seamless Butt Weld Fittings Welded Butt Weld Fittings Welded Pipe Flanges Seamless Tube Circle Polish Hygienic Tube Mirror Polish Glazing Bar Structural & Decorative Tube Brass Sign & Display Materials Seamless Tube Hygienic Tube Bar & Sections Butt Weld Fittings Seamless Tube Flanges Hygienic Fittings Fittings Rolled Products Welded Pipe Circle Polish Mirror Polished Bronze MIC 6 Nationwide Supply Solutions Fixtures & Fittings Copper Bar & Sections Seamless Tube Hygienic Tube Structural & Decorative Tube Aluminium Butt Weld Fittings Hygienic Fittings Architectural Stainless Steel Rolled Products Mirror Polished Fittings Setting Industry Standards MIC 6 Rolled Products Stainless Steel Welded Mesh Seamless Pipe Welded Pipe Brass Seamless Butt Weld Fittings Welded Butt Weld Fittings



# Blackburns Aluminium...

Aluminium is the most plentiful element in the earth's crust and with the high proportion of recycling; reserves of the metal are never likely to be depleted.

Some of the greatest technical developments over the past century since aluminium became commercially available have centred around, or been enabled by, aluminium.

Some of the benefits in using aluminium include high strength to low weight ratio, formability, corrosion resistant, good conductivity of heat and electricity, does not burn, environmentally friendly as it is fully recyclable.

BAR & SECTIONS .....	4
LADDER RUNG .....	7
TUBE, SCAFFOLD TUBE .....	8
CHANNEL .....	9
TEE SECTION .....	10
EQUAL ANGLE, METRIC ANGLE .....	10
UNEQUAL ANGLE .....	11
Z SECTION .....	11
MOULDINGS - GUTTER SECTIONS .....	12
MOULDINGS - COPE .....	13
MOULDINGS - FLUTED EDGINGS & NOSINGS .....	14
MOULDINGS SECTIONS - DFE, HRM .....	15
WALLBOARD SECTIONS .....	16
MISCELLANEOUS SECTIONS .....	18
HANGING Z SECTION, CARAVAN AWNING .....	19
SHEET - ALLOYS: 1050, 5083 .....	20
SHEET - OTHER ALLOYS, WHITE PAINTED, PRE-ANODISED .....	21
PATTERNED SHEET .....	22
SHATE & PLATE .....	23
CUT PLATE .....	24
ALUMINIUM CIRCLES - QUARTER HARD CIRCLES, SOFT CIRCLES .....	26
COIL PROCESSING .....	28
ANODISED COIL .....	29


Contact your **local** Blackburns today...

(see back cover for location and contact details)

# Round Bar

ALLOYS: 6082-T6

2011-T3/T6, 6262-T9



Dia (in)	Weight per metre (Kg)
¼	0.09
⅜	0.13
½	0.19
⅝	0.26
¾	0.34
⅞	0.43
1	0.54
<b>16mm</b>	0.54
1 ⅛	0.65
1 ¼	0.77
<b>20mm</b>	0.85
1 ⅝	0.91
1 ¾	1.05
2	1.37
2 ⅛	1.74
2 ¼	2.15
2 ⅝	2.37
2 ¾	2.60
<b>35mm</b>	2.61
3	2.84
3 ½	3.09
3 ¾	3.63
4	4.21
4 ½	4.83
5	5.49
5 ½	6.20
6	6.95
6 ½	7.75
7	8.58

Dia (in)	Weight per metre (Kg)
2 ⅝	9.46
2 ¾	10.4
3	12.4
3 ¼	14.5
3 ½	16.8
3 ¾	19.3
4	22.0
4 ¼	24.8
4 ½	27.8
4 ¾	31.0
5	34.3
5 ¼	37.8
5 ½	41.5
5 ¾	45.4
6	49.4
6 ½	58.0
7	67.3
7 ¼	72.2
7 ½	77.2
8	87.9
8 ½	99.2
9	111
9 ½	124
10	137
12	198
13	232
14	269
15	309
16	352


Size (in)	Weight per metre (Kg)
$\frac{3}{8} \times \frac{1}{8}$	0.08
$\frac{3}{8} \times \frac{1}{4}$	0.16
$\frac{1}{2} \times \frac{1}{16}$	0.06
$\frac{1}{2} \times \frac{1}{8}$	0.11
$\frac{1}{2} \times \frac{3}{16}$	0.16
$\frac{1}{2} \times \frac{1}{4}$	0.22
$\frac{1}{2} \times \frac{3}{8}$	0.33
$\frac{5}{8} \times \frac{1}{8}$	0.14
$\frac{5}{8} \times \frac{3}{16}$	0.20
$\frac{5}{8} \times \frac{1}{4}$	0.27
$\frac{5}{8} \times \frac{3}{8}$	0.41
$\frac{5}{8} \times \frac{1}{2}$	0.55
$\frac{3}{4} \times \frac{1}{16}$	0.08
$\frac{3}{4} \times \frac{1}{8}$	0.16
$\frac{3}{4} \times \frac{3}{16}$	0.25
$\frac{3}{4} \times \frac{1}{4}$	0.33
$\frac{3}{4} \times \frac{3}{8}$	0.49
$\frac{3}{4} \times \frac{1}{2}$	0.66
$\frac{3}{4} \times \frac{5}{8}$	0.82
$\frac{7}{8} \times \frac{1}{8}$	0.19
$1 \times \frac{1}{16}$	0.11
$1 \times \frac{1}{8}$	0.22
$1 \times \frac{3}{16}$	0.33
$1 \times \frac{1}{4}$	0.44
$1 \times \frac{5}{16}$	0.54
$1 \times \frac{3}{8}$	0.66
$1 \times \frac{1}{2}$	0.87
$1 \times \frac{5}{8}$	1.09
$1 \times \frac{3}{4}$	1.31
$1\frac{1}{4} \times \frac{1}{8}$	0.27
$1\frac{1}{4} \times \frac{3}{16}$	0.41
$1\frac{1}{4} \times \frac{1}{4}$	0.55
$1\frac{1}{4} \times \frac{3}{8}$	0.82
$1\frac{1}{4} \times \frac{1}{2}$	1.09
$1\frac{1}{4} \times \frac{5}{8}$	1.37
$1\frac{1}{4} \times \frac{3}{4}$	1.64
$1\frac{1}{4} \times 1$	2.19
$1\frac{1}{2} \times \frac{1}{16}$	0.16
$1\frac{1}{2} \times \frac{1}{8}$	0.33
$1\frac{1}{2} \times \frac{3}{16}$	0.49
$1\frac{1}{2} \times \frac{1}{4}$	0.66
$1\frac{1}{2} \times \frac{3}{8}$	0.98

Size (in)	Weight per metre (Kg)
$1\frac{1}{2} \times \frac{1}{2}$	1.31
$1\frac{1}{2} \times \frac{5}{8}$	1.64
$1\frac{1}{2} \times \frac{3}{4}$	1.97
$1\frac{1}{2} \times 1$	2.62
$1\frac{1}{2} \times 1\frac{1}{4}$	3.28
$1\frac{3}{4} \times \frac{1}{8}$	0.38
$1\frac{3}{4} \times \frac{1}{4}$	0.76
$1\frac{3}{4} \times \frac{3}{8}$	1.15
$1\frac{3}{4} \times \frac{1}{2}$	1.53
$1\frac{3}{4} \times \frac{3}{4}$	2.29
$1\frac{3}{4} \times 1$	3.06
$1\frac{3}{4} \times 1\frac{1}{4}$	3.82
$2 \times \frac{1}{8}$	0.44
$2 \times \frac{3}{16}$	0.66
$2 \times \frac{1}{4}$	0.87
$2 \times \frac{3}{8}$	1.31
$2 \times \frac{1}{2}$	1.75
$2 \times \frac{5}{8}$	2.19
$2 \times \frac{3}{4}$	2.62
$2 \times 1$	3.50
$2 \times 1\frac{1}{4}$	4.37
$2 \times 1\frac{1}{2}$	5.25
$2\frac{1}{2} \times \frac{1}{8}$	0.55
$2\frac{1}{2} \times \frac{3}{16}$	0.82
$2\frac{1}{2} \times \frac{1}{4}$	1.09
$2\frac{1}{2} \times \frac{3}{8}$	1.64
$2\frac{1}{2} \times \frac{1}{2}$	2.19
$2\frac{1}{2} \times \frac{3}{4}$	3.28
$2\frac{1}{2} \times 1$	4.37
$2\frac{1}{2} \times 1\frac{1}{2}$	6.56
$2\frac{1}{2} \times 2$	8.74
$3 \times \frac{1}{8}$	0.66
$3 \times \frac{3}{16}$	0.98
$3 \times \frac{1}{4}$	1.31
$3 \times \frac{3}{8}$	1.97
$3 \times \frac{1}{2}$	2.62
$3 \times \frac{5}{8}$	3.28
$3 \times 1$	5.25
$3 \times 2$	10.50
$3\frac{1}{2} \times \frac{1}{4}$	1.52
$3\frac{1}{2} \times \frac{1}{2}$	3.04

continued on next page...


## Flat Bar

ALLOYS: 6082-T6  
6063-T6, 6063A-T6



## Flat Bar (continued...)

ALLOYS: 6082-T6  
6063-T6, 6063A-T6




Size (in)	Weight per metre (Kg)
4 x 1/8	0.87
4 x 3/16	1.30
4 x 1/4	1.75
4 x 3/8	2.62
4 x 1/2	3.50
4 x 5/8	4.37
4 x 3/4	5.25
4 x 1	6.99
4 x 1 1/4	8.74

Size (in)	Weight per metre (Kg)
4 x 2	14.00
5 x 1/4	2.19
5 x 1/2	4.37
6 x 1/8	1.31
6 x 1/4	2.62
6 x 3/8	3.93
6 x 1/2	5.25
6 x 1	10.50

## Square Bar

ALLOY: 6082-T6



Size (in)	Weight per metre (Kg)
1/4	0.11
3/16	0.17
3/8	0.25
1/2	0.44
5/8	0.68
3/4	0.98
7/8	1.34
1	1.75

Size (in)	Weight per metre (Kg)
1 1/4	2.73
1 1/2	3.93
1 3/4	5.35
2	6.99
2 1/2	10.90
3	15.70
3 1/2	21.40
4	28.00

Size (in)	Weight per metre (Kg)
½ x ½ x 16 swg	0.20
¾ x ¾ x 16 swg	0.31
¾ x ¾ x 10 swg	0.56
1 x 1 x 16 swg	0.42
1 x 1 x 10 swg	0.78
1¼ x 1¼ x 16 swg	0.53
1¼ x 1¼ x 10 swg	1.00
1½ x 1½ x 16 swg	0.64
1½ x 1½ x 10 swg	1.23

Size (in)	Weight per metre (Kg)
1¼ x 1¼ x 10 swg	1.45
2 x 2 x 16 swg	0.87
2 x 2 x 10 swg	1.68
2 x 2 x ½ swg	3.06
2½ x 2½ x 10 swg	2.12
3 x 3 x 10 swg	2.57
4 x 4 x 10 swg	3.47
4 x 4 x ¼ swg	6.56

Size (in)	Weight per metre (Kg)
1 x ½ x 16 swg	0.31
1½ x ¾ x 16 swg	0.48
1½ x 1 x 16 swg	0.52
1½ x 1 x 10 swg	1.00
2 x 1 x 10 swg	1.22
2 x 1½ x 10 swg	1.34
3 x 1 x 10 swg	1.67
3 x 1½ x 10 swg	1.90

Size (in)	Weight per metre (Kg)
3 x 1¼ x 10 swg	2.01
3 x 2 x 10 swg	2.11
4 x 1 x 10 swg	2.12
4 x 1¼ x 10 swg	2.45
4 x 2 x 10 swg	2.56
6 x 2 x 10 swg	3.40
6 x 3 x ¾ swg	10.80


Size (mm)	Weight per metre (Kg)
50 x 50 x 3.0	1.53

Size (in)	Weight per metre (Kg)
1 x 10 swg	0.59

## Box Section

SQUARE


ALLOYS: 6063-T6, 6082-T6



## Box Section

RECTANGULAR

ALLOYS: 6063-T6, 6082-T6



## Metric Box Section

ALLOY: 6065

## Ladder Rung

ALLOY: 6082-T6



## Tube

ALLOYS: 6082-T6  
6063-T6, 6063A-T6



Size (in)	Weight per metre (Kg)
3/8 o/d x 16 swg	0.11
1/2 o/d x 18 swg	0.12
1/2 o/d x 16 swg	0.15
1/2 o/d x 10 swg	0.26
5/8 o/d x 18 swg	0.15
5/8 o/d x 16 swg	0.20
5/8 o/d x 10 swg	0.35
3/4 o/d x 18 swg	0.19
3/4 o/d x 16 swg	0.24
3/4 o/d x 10 swg	0.44
7/8 o/d x 18 swg	0.22
7/8 o/d x 16 swg	0.29
7/8 o/d x 10 swg	0.53
1 o/d x 18 swg	0.25
1 o/d x 16 swg	0.33
1 o/d x 10 swg	0.61
1 o/d x 3/16	0.83
1 1/8 o/d x 18 swg	0.28
1 1/8 o/d x 16 swg	0.37
1 1/8 o/d x 10 swg	0.70
1 1/4 o/d x 18 swg	0.32
1 1/4 o/d x 16 swg	0.42
1 1/4 o/d x 12 swg	0.65
1 1/4 o/d x 10 swg	0.79
1 1/4 o/d x 3/16	1.08
1 3/8 o/d x 16 swg	0.46
1 3/8 o/d x 10 swg	0.88
1 1/2 o/d x 18 swg	0.38
1 1/2 o/d x 16 swg	0.50
1 1/2 o/d x 10 swg	0.96
1 1/2 o/d x 3/16	1.35
1 1/2 o/d x 1/4	1.71
1 5/8 o/d x 16 swg	0.55
1 5/8 o/d x 10 swg	1.05
1 5/8 o/d x 3/16	1.48

Size (in)	Weight per metre (Kg)
1 3/4 o/d x 16 swg	0.59
1 3/4 o/d x 10 swg	1.14
1 7/8 o/d x 10 swg	1.23
2 o/d x 16 swg	0.68
2 o/d x 14 swg	0.84
2 o/d x 10 swg	1.32
2 o/d x 3/16	1.86
2 o/d x 1/4	2.39
2 1/4 o/d x 16 swg	0.77
2 1/4 o/d x 10 swg	1.49
2 1/2 o/d x 16 swg	0.86
2 1/2 o/d x 10 swg	1.67
2 1/2 o/d x 3/16	2.38
2 1/2 o/d x 1/4	3.08
2 1/2 o/d x 3/8	4.36
2 3/4 o/d x 10 swg	1.84
3 o/d x 16 swg	1.03
3 o/d x 12 swg	1.65
3 o/d x 10 swg	2.02
3 o/d x 3/16	2.90
3 o/d x 1/4	3.76
3 1/2 o/d x 16 swg	1.21
3 1/2 o/d x 10 swg	2.37
3 1/2 o/d x 1/4	4.46
4 o/d x 16 swg	1.38
4 o/d x 12 swg	2.23
4 o/d x 10 swg	2.72
4 o/d x 1/4	5.15
4 1/2 o/d x 10 swg	3.07
4 1/2 o/d x 1/4	5.83
5 o/d x 10 swg	3.43
5 o/d x 1/4	6.52
5 1/2 o/d x 1/4	7.21
6 o/d x 10 swg	4.13
6 o/d x 1/4	7.90
6 1/2 o/d x 1/4	8.58

## Scaffold Tube

20FT LENGTH


Size (in)	Weight per metre (Kg)
1 29/32 o/d x 7 swg	1.53

Size (in)	Weight per metre (Kg)
$\frac{3}{8} \times \frac{3}{8} \times \frac{1}{16}$	0.11
$\frac{1}{2} \times \frac{1}{2} \times \frac{1}{16}$	0.06
$\frac{1}{2} \times \frac{1}{2} \times \frac{1}{8}$	0.27
$\frac{5}{8} \times \frac{5}{8} \times \frac{1}{16}$	0.19
$\frac{5}{8} \times \frac{5}{8} \times \frac{1}{8}$	0.36
$\frac{3}{4} \times \frac{1}{2} \times \frac{1}{8}$	0.44
$\frac{3}{4} \times \frac{3}{4} \times \frac{1}{16}$	0.24
$\frac{3}{4} \times \frac{3}{4} \times \frac{1}{8}$	0.49
$\frac{7}{8} \times \frac{7}{8} \times \frac{1}{8}$	0.52
$1 \times \frac{1}{2} \times \frac{1}{8}$	0.38
$1 \times \frac{3}{4} \times \frac{1}{8}$	0.49
$1 \times 1 \times \frac{1}{16}$	0.31
$1 \times 1 \times \frac{1}{8}$	0.60
$1 \times 1 \times \frac{3}{16}$	0.86
$1\frac{1}{8} \times \frac{3}{4} \times \frac{1}{8}$	0.52
$1\frac{1}{8} \times 1 \times \frac{1}{8}$	0.63
$1\frac{1}{8} \times 1\frac{1}{8} \times \frac{1}{8}$	0.68
$1\frac{1}{4} \times \frac{1}{2} \times \frac{1}{8}$	0.44
$1\frac{1}{4} \times \frac{3}{4} \times \frac{1}{8}$	0.55
$1\frac{1}{4} \times 1 \times \frac{1}{8}$	0.66
$1\frac{1}{4} \times 1\frac{1}{4} \times \frac{1}{16}$	0.39
$1\frac{1}{4} \times 1\frac{1}{4} \times \frac{1}{8}$	0.76
$1\frac{1}{4} \times 1\frac{1}{4} \times \frac{3}{16}$	1.10
$1\frac{1}{2} \times \frac{1}{2} \times \frac{1}{8}$	0.49
$1\frac{1}{2} \times \frac{3}{4} \times \frac{1}{8}$	0.60
$1\frac{1}{2} \times 1 \times \frac{1}{8}$	0.71
$1\frac{1}{2} \times 1\frac{1}{2} \times \frac{1}{8}$	0.93
$1\frac{1}{2} \times 1\frac{1}{2} \times \frac{1}{4}$	1.74
$1\frac{3}{4} \times 1 \times \frac{1}{8}$	0.76
$1\frac{3}{4} \times 1\frac{3}{4} \times \frac{1}{8}$	1.09
$1\frac{3}{4} \times 1\frac{3}{4} \times \frac{1}{4}$	2.07

Size (in)	Weight per metre (Kg)
$2 \times \frac{1}{2} \times \frac{1}{8}$	0.60
$2 \times \frac{3}{4} \times \frac{1}{8}$	0.71
$2 \times 1 \times \frac{1}{8}$	0.82
$2 \times 1 \times \frac{3}{16}$	1.22
$2 \times 1 \times \frac{1}{4}$	1.52
$2 \times 1\frac{1}{2} \times \frac{1}{8}$	1.03
$2 \times 1\frac{1}{2} \times \frac{1}{4}$	1.97
$2 \times 2 \times \frac{1}{8}$	1.26
$2 \times 2 \times \frac{3}{16}$	1.83
$2 \times 2 \times \frac{1}{4}$	2.40
$2\frac{1}{4} \times 1\frac{1}{4} \times \frac{3}{16}$	1.43
$2\frac{1}{2} \times 1 \times \frac{1}{8}$	0.93
$2\frac{1}{2} \times 1\frac{1}{4} \times \frac{3}{16}$	1.52
$3 \times 1 \times \frac{1}{8}$	1.04
$3 \times 1\frac{1}{2} \times \frac{1}{8}$	1.26
$3 \times 1\frac{1}{2} \times \frac{3}{16}$	1.84
$3 \times 1\frac{1}{2} \times \frac{1}{4} \times \frac{5}{16}$	2.66
$3 \times 2 \times \frac{1}{8}$	1.48
$3 \times 2 \times \frac{3}{16}$	2.17
$3 \times 2 \times \frac{1}{4}$	2.84
$3\frac{1}{2} \times 1\frac{1}{2} \times \frac{1}{4} \times \frac{5}{16}$	2.90
$4 \times 2 \times \frac{1}{8}$	1.69
$4 \times 2 \times \frac{3}{16}$	2.50
$4 \times 2 \times \frac{1}{4} \times \frac{5}{16}$	3.66
$5 \times 2 \times \frac{1}{4} \times \frac{5}{16}$	4.24
$6 \times 2 \times \frac{1}{4} \times \frac{5}{16}$	4.53
$6 \times 3 \times \frac{1}{4} \times \frac{3}{8}$	6.21
$6 \times 3 \times \frac{3}{8} \times \frac{1}{2}$	8.49
$8 \times 3 \times \frac{3}{8} \times \frac{1}{2}$	9.80
$10 \times 3 \times \frac{3}{8} \times \frac{1}{2}$	11.33

## Channel

ALLOYS: 6082-T6  
6063-T6, 6063A-T6




Dimensions are in the order:  
base x leg x base thickness  
x leg thickness

## Tee Section

ALLOYS: 6082-T6

6063A-T6



Size (in)	Weight per metre (Kg)
$\frac{1}{2} \times \frac{1}{2} \times \frac{1}{16}$	0.10
$\frac{3}{4} \times \frac{3}{4} \times 0.08$	0.20
$\frac{3}{4} \times \frac{3}{4} \times \frac{1}{8}$	0.30
$1 \times 1 \times \frac{1}{16}$	0.21
$1 \times 1 \times \frac{1}{8}$	0.41
$1\frac{1}{4} \times 1\frac{1}{4} \times \frac{1}{8}$	0.52
$1\frac{1}{2} \times 1\frac{1}{2} \times \frac{1}{8}$	0.63
$1\frac{1}{2} \times 1\frac{1}{2} \times \frac{3}{16}$	0.92


Size (in)	Weight per metre (Kg)
$1\frac{1}{2} \times 1\frac{1}{2} \times \frac{1}{4}$	1.20
$2 \times 1 \times \frac{1}{8}$	0.63
$2 \times 2 \times \frac{1}{8}$	0.85
$2 \times 2 \times \frac{3}{16}$	1.25
$2 \times 2 \times \frac{1}{4}$	1.64
$3 \times 3 \times \frac{1}{4}$	2.51
$3 \times 3 \times \frac{3}{8}$	3.69

Dimensions: cross piece x height x thickness

## Equal Angle

ALLOYS: 6082-T6

6063-T6, 6063A-T6



Size (in)	Weight per metre (Kg)
$\frac{3}{8} \times \frac{3}{8} \times \frac{1}{16}$	0.08
$\frac{1}{2} \times \frac{1}{2} \times \frac{1}{16}$	0.10
$\frac{1}{2} \times \frac{1}{2} \times \frac{1}{8}$	0.19
$\frac{5}{8} \times \frac{5}{8} \times \frac{1}{16}$	0.13
$\frac{5}{8} \times \frac{5}{8} \times \frac{1}{8}$	0.25
$\frac{3}{4} \times \frac{3}{4} \times \frac{1}{16}$	0.16
$\frac{3}{4} \times \frac{3}{4} \times \frac{1}{8}$	0.30
$\frac{7}{8} \times \frac{7}{8} \times \frac{1}{8}$	0.36
$1 \times 1 \times \frac{1}{16}$	0.21
$1 \times 1 \times \frac{1}{8}$	0.41
$1 \times 1 \times \frac{3}{16}$	0.59
$1 \times 1 \times \frac{1}{4}$	0.76
$1\frac{1}{8} \times 1\frac{1}{8} \times \frac{1}{8}$	0.46
$1\frac{1}{4} \times 1\frac{1}{4} \times \frac{1}{16}$	0.27
$1\frac{1}{4} \times 1\frac{1}{4} \times \frac{1}{8}$	0.52
$1\frac{1}{4} \times 1\frac{1}{4} \times \frac{3}{16}$	0.76
$1\frac{1}{4} \times 1\frac{1}{4} \times \frac{1}{4}$	0.98
$1\frac{1}{2} \times 1\frac{1}{2} \times \frac{1}{16}$	0.32
$1\frac{1}{2} \times 1\frac{1}{2} \times \frac{1}{8}$	0.63
$1\frac{1}{2} \times 1\frac{1}{2} \times \frac{3}{16}$	0.92

Size (in)	Weight per metre (Kg)
$1\frac{1}{2} \times 1\frac{1}{2} \times \frac{1}{4}$	1.20
$1\frac{3}{4} \times 1\frac{3}{4} \times \frac{1}{8}$	0.74
$1\frac{3}{4} \times 1\frac{3}{4} \times \frac{3}{16}$	1.09
$1\frac{3}{4} \times 1\frac{3}{4} \times \frac{1}{4}$	1.42
$2 \times 2 \times \frac{1}{16}$	0.43
$2 \times 2 \times \frac{1}{8}$	0.85
$2 \times 2 \times \frac{3}{16}$	1.25
$2 \times 2 \times \frac{1}{4}$	1.64
$2 \times 2 \times \frac{3}{8}$	2.38
$2\frac{1}{2} \times 2\frac{1}{2} \times \frac{1}{8}$	1.06
$2\frac{1}{2} \times 2\frac{1}{2} \times \frac{3}{16}$	1.58
$2\frac{1}{2} \times 2\frac{1}{2} \times \frac{1}{4}$	2.08
$2\frac{1}{2} \times 2\frac{1}{2} \times \frac{3}{8}$	3.03
$3 \times 3 \times \frac{1}{8}$	1.28
$3 \times 3 \times \frac{3}{16}$	1.91
$3 \times 3 \times \frac{1}{4}$	2.51
$3 \times 3 \times \frac{3}{8}$	3.69
$4 \times 4 \times \frac{1}{4}$	3.39
$4 \times 4 \times \frac{3}{8}$	5.00
$6 \times 6 \times \frac{1}{2}$	10.00

## Metric Angle

ALLOY: 6063

Size (mm)	Weight per metre (Kg)
25 x 25 x 3	0.39
50 x 50 x 3	0.79
50 x 25 x 3	0.59

Ref.	Size (in)	Weight per metre (Kg)
No.921	1 1/8 x 3/4 x 1/8	0.52
No.940	1 3/4 x 1 x 1/8	0.82
No.941	1 1/4 x 1 x 1/8	0.67
No.942	1 x 3/4 x 3/32	0.39
No.943	3/4 x 1/2 x 1/16	0.18


Dimensions: height x legs x thickness

Size (in)	Weight per metre (Kg)
3/4 x 1/4 x 1/16	0.10
3/4 x 3/8 x 1/16	0.12
3/4 x 1/2 x 1/16	0.13
3/4 x 1/2 x 1/8	0.25
1 x 1/2 x 1/16	0.15
1 x 1/2 x 1/8	0.30
1 x 5/8 x 1/8	0.33
1 x 3/4 x 1/16	0.18
1 x 3/4 x 1/8	0.36
1 1/4 x 1/2 x 1/8	0.36
1 1/4 x 3/4 x 1/8	0.41
1 1/4 x 1 x 1/8	0.47
1 1/2 x 1/2 x 1/8	0.41
1 1/2 x 3/4 x 1/8	0.46
1 1/2 x 1 x 1/16	0.27
1 1/2 x 1 x 1/8	0.52
1 3/4 x 3/4 x 1/8	0.52
1 3/4 x 7/8 x 1/8	0.55
1 3/4 x 1 x 1/8	0.57
2 x 1/2 x 1/8	0.52
2 x 3/4 x 1/8	0.57
2 x 1 x 1/8	0.63
2 x 1 x 3/16	0.92

Size (in)	Weight per metre (Kg)
2 x 1 x 1/4	1.20
2 x 1 1/2 x 1/8	0.74
2 x 1 1/2 x 3/16	1.09
2 x 1 1/2 x 1/4	1.42
2 1/2 x 1 x 1/8	0.73
2 1/2 x 1 1/2 x 1/8	0.85
2 1/2 x 1 1/2 x 3/16	1.25
2 1/2 x 1 1/2 x 1/4	1.64
2 1/2 x 2 x 1/4	1.86
3 x 1 x 1/8	0.85
3 x 1 x 1/4	1.64
3 x 1 1/2 x 1/8	0.96
3 x 1 1/2 x 3/16	1.40
3 x 1 1/2 x 1/4	1.86
3 x 2 x 1/8	1.07
3 x 2 x 3/16	1.58
3 x 2 x 1/4	2.08
4 x 1 x 1/8	1.06
4 x 2 x 1/8	1.29
4 x 2 x 1/4	2.51
4 x 3 x 1/4	2.95
5 x 2 x 1/4	2.92
6 x 3 x 3/8	5.63

## Z Section


ALLOY: 6063-T6



## Unequal Angle

ALLOYS: 6082-T6

6063-T6, 6063A-T6



# Mouldings

## GUTTER SECTIONS



**8**

0.131 kg/m



**225**

0.129 kg/m




**455**

0.275 kg/m



**466**

0.259 kg/m



**582**

0.205 kg/m

# Mouldings

COPE



**84**  
0.237 kg/m



**306**  
0.219 kg/m



**760**  
0.228 kg/m



**767**  
0.348 kg/m



**794**  
0.421 kg/m



**809**  
0.302 kg/m



**903**  
0.089 kg/m




**905**  
0.281 kg/m




**906**  
0.232 kg/m

# Mouldings

FLUTED EDGINGS  
& NOSINGS



**36**  
0.167 kg/m



**249**  
0.237 kg/m



**527**  
0.247 kg/m




**673**  
0.455 kg/m



**748**  
0.491 kg/m



**786**  
0.368 kg/m



**Half Round**


Size (in)	Weight per metre (Kg)
$\frac{5}{8} \times \frac{3}{16}$	0.128
$\frac{3}{4} \times \frac{3}{16}$	0.146
$1 \times \frac{3}{16}$	0.153

Size (in)	Weight per metre (Kg)
$1\frac{1}{4} \times \frac{3}{16}$	0.210
$1\frac{1}{2} \times \frac{3}{16}$	0.250
$2 \times \frac{1}{4}$	0.445



**Double Feather Edge**

Size (in)	Weight per metre (Kg)
$1 \times \frac{1}{8}$	0.207
$1\frac{1}{4} \times \frac{1}{8}$	0.262
$1\frac{1}{2} \times \frac{1}{8}$	0.318



**900**

0.418 kg/m



**730**

0.207 kg/m



**932**

0.217 kg/m

## Mouldings

HALF ROUND SECTIONS

## Mouldings

DOUBLE FEATHERED SECTIONS

## Mouldings

CORNER SECTIONS

## Mouldings

LAP PLATE SECTIONS

## Wallboard Sections

FOR 1/8" BOARD



$\frac{1}{8}$ "

Continual Run



$\frac{1}{8}$ "

End Stop

## Wallboard Sections

FOR 3/16" BOARD



$\frac{3}{16}$ "

Continual Run



$\frac{3}{16}$ "

End Stop

## Wallboard Sections

FOR 1/4" BOARD



$\frac{1}{4}$ "

Continual Run



$\frac{1}{4}$ "

End Stop

## Wallboard Sections

FOR 1/2" BOARD




1/2"

Continual Run



1/2"

End Stop



1/2"

External Corner




1/2"

Internal Corner

## Wallboard Sections

FOR 3/4" BOARD



**1142**

3/4"

Continual Run




**953**

3/4"

End Stop

## Wallboard Sections

FOR 1" BOARD



**1143**

1"

Continual Run



**1144**

1"

End Stop

Miscellaneous  
Sections



**733**  
0.190 kg/m



**734**  
0.210 kg/m



**806**  
0.381 kg/m



**807**  
0.506 kg/m



**855**  
0.271 kg/m



**857**  
0.167 kg/m




**924**  
0.179 kg/m



**926**  
0.394 kg/m



**927**  
0.506 kg/m



**928**  
0.430 kg/m



**929**  
0.368 kg/m



**952**  
0.176 kg/m



**972**  
0.271 kg/m



**936**  
0.298 kg/m



**GM204**



**Hanging Z Section**



**Caravan Awning**

## Sheet

ALLOY: 1050A-H14

Size (mm)	Weight per sheet (Kg)
2000 x 1000 x 0.5	2.71
2500 x 1250 x 0.5	4.23
2000 x 1000 x 0.6	3.25
2500 x 1250 x 0.6	5.08
2000 x 1000 x 0.8	4.34
2500 x 1250 x 0.8	6.78
2000 x 1000 x 1.0	5.42
2500 x 1250 x 1.0	8.47
3000 x 1250 x 1.0	10.20
2000 x 1000 x 1.2	6.50
2500 x 1250 x 1.2	10.20
3000 x 1250 x 1.2	12.20
3000 x 1500 x 1.2	14.60
2000 x 1000 x 1.5	8.13
2500 x 1250 x 1.5	12.70
3000 x 1250 x 1.5	15.20
3000 x 1500 x 1.5	18.30
2000 x 1000 x 2.0	10.80
2500 x 1250 x 2.0	16.90

Size (mm)	Weight per sheet (Kg)
3000 x 1000 x 2.0	16.30
3000 x 1250 x 2.0	20.30
3000 x 1500 x 2.0	24.40
4000 x 1000 x 2.0	21.73
4000 x 1250 x 2.0	27.17
4000 x 1500 x 2.0	32.60
4000 x 2000 x 2.0	43.79
2000 x 1000 x 2.5	13.60
2500 x 1250 x 2.5	21.20
3000 x 1500 x 2.5	30.50
2000 x 1000 x 3.0	16.30
2500 x 1250 x 3.0	25.40
3000 x 1000 x 3.0	24.40
3000 x 1250 x 3.0	30.50
3000 x 1500 x 3.0	36.60
4000 x 1000 x 3.0	32.53
4000 x 1250 x 3.0	40.66
4000 x 1500 x 3.0	48.80
4000 x 2000 x 3.0	65.00

## Sheet

ALLOY: 5083

Size (mm)	Weight per sheet (Kg)
2500 x 1250 x 1.5	12.7
2500 x 1250 x 2.0	16.9
2500 x 1250 x 3.0	25.4

Size (mm)	Alloys >	5251-H22	3103-H14	4015-H12	6082-T6
2000 x 1000 x 1.0		✓	✓		
2500 x 1250 x 1.0		✓	✓		✓
2000 x 1000 x 1.2		✓	✓		
2500 x 1250 x 1.2		✓	✓	✓	✓
3000 x 1500 x 1.2				✓	
2000 x 1000 x 1.5		✓	✓	✓	
2500 x 1250 x 1.5		✓	✓	✓	✓
3000 x 1500 x 1.5		✓		✓	
2000 x 1000 x 2.0		✓		✓	
2500 x 1250 x 2.0		✓	✓	✓	✓
3000 x 1250 x 2.0		✓			
3000 x 1500 x 2.0		✓		✓	
2000 x 1000 x 2.5		✓			
2500 x 1250 x 2.5		✓		✓	
2438 x 1219 x 2.83				✓	
2000 x 1000 x 3.0		✓			
2500 x 1250 x 3.0		✓	✓	✓	✓
3000 x 1250 x 3.0		✓	✓		
3000 x 1500 x 3.0		✓		✓	

Size (mm)	Weight per sheet (Kg)
2500 x 1250 x 0.7	5.9
2500 x 1250 x 0.9	7.6
2500 x 1250 x 1.0	8.5
3000 x 1500 x 1.0	12.3

Size (mm)	Weight per sheet (Kg)
2500 x 1250 x 1.2	10.2
2500 x 1250 x 1.5	12.8
3000 x 1500 x 1.5	18.5
2500 x 1250 x 1.8	15.6

Size (mm)	Weight per sheet (Kg)
2500 x 1250 x 1.5	12.7
2500 x 1250 x 2.0	16.9
2500 x 1250 x 3.0	25.4

## Sheet

OTHER ALLOYS

## Sheet White Painted


3105-H46 / 3003-H45  
 FULL WHITE GLOSS  
 CLEAR WASH COAT  
 LACQUER REVERSE  
 50 MICRON POLYCOATED

## Pre-Anodised Sheet

## Patterned Sheet

### Five Bar Treadplate

ALLOY: 5754-H111




Size (mm)	Weight per sheet (Kg)
2500 x 1250 x 1.5	13.3
2000 x 1000 x 2	11.3
2500 x 1250 x 2	18.7
3000 x 1500 x 2	26.8
2000 x 1000 x 3	17.3
2500 x 1250 x 3	27.0
3000 x 1500 x 3	38.9

Size (mm)	Weight per sheet (Kg)
2000 x 1000 x 4.5	25.0
2500 x 1250 x 4.5	39.1
3000 x 1500 x 4.5	56.3
2000 x 1000 x 6	34.0
2500 x 1250 x 6	51.7
3000 x 1500 x 6	74.3
2500 x 1250 x 9.5	84.3

## Stucco

ALLOY: 1050-H14



Size (mm)	Weight per sheet (Kg)
2000 x 1000 x 0.5	2.74
2500 x 1250 x 0.5	4.28
2000 x 1000 x 0.6	3.28
2500 x 1250 x 0.6	5.14
2000 x 1000 x 0.7	3.84

Size (mm)	Weight per sheet (Kg)
2500 x 1250 x 0.7	5.99
2000 x 1000 x 0.8	4.38
2500 x 1250 x 0.8	6.84
2500 x 1250 x 1.0	8.50
2500 x 1250 x 1.2	10.00

## Propeller\*

ALLOY: 3003



Size (mm)	Weight per sheet (Kg)
2500 x 1250 x 1.5	14.0
2500 x 1250 x 2.0	18.0
2500 x 1250 x 3.0	28.0

\* Propeller pattern also available up to 6mm thick

Contact your **local** Blackburns today...

(see back cover for location and contact details)

Size (mm)	Weight per sheet (Kg)
2500 x 1250 x 4.0	33.9
2500 x 1250 x 5.0	42.3
2500 x 1250 x 6.0	50.8
2500 x 1250 x 8.0	67.8
2500 x 1250 x 10.0	84.3
2500 x 1250 x 12.0	102.3

Size (mm)	Weight per sheet (Kg)
2500 x 1250 x 4.0	33.9
2000 x 1000 x 5.0	27.1
2500 x 1250 x 5.0	42.3
3000 x 1500 x 5.0	61.2
2000 x 1000 x 6.0	32.5
2500 x 1250 x 6.0	50.8

Size (mm)	Weight per sheet (Kg)
2000 x 1000 x 4.0	21.8
2500 x 1250 x 4.0	33.9
3000 x 1500 x 4.0	49.0
2000 x 1000 x 5.0	27.1
3000 x 1500 x 5.0	61.2

Size (mm)	Weight per sheet (Kg)
2500 x 1250 x 5.0	42.3
2000 x 1000 x 6.0	32.7
2500 x 1250 x 6.0	50.8
3000 x 1500 x 6.0	73.2

Size (mm)	Weight per sheet (Kg)
2500 x 1250 x 4.0	33.9
2500 x 1250 x 5.0	42.3
2500 x 1250 x 6.0	50.8
2500 x 1250 x 8.0	67.4
2500 x 1250 x 10.0	84.3
2500 x 1250 x 12.0	102.3
2500 x 1250 x 15.0	126.4
2500 x 1250 x 20.0	168.5
2500 x 1250 x 25.0	210.7

## Shate & Plate

ALLOY: 6082

## Shate

ALLOY: 1050

## Shate

ALLOY: 5251

## Shate & Plate

ALLOY: 5083

## Plate

4000 x 2000mm

3000 x 1500mm

2500 x 1250mm

Plate can also be cut to customer requirements

Size mm	6082 T6	5083 0	MIC 6	ALUMEC 79	ALUMEC 89
3.0	✓	✓			
4.0	✓	✓			
5.0	✓	✓			
6.0	✓	✓			
6.35	✓		✓		
8.0	✓	✓	✓		
9.53	✓	✓			
10.0	✓	✓	✓		
12.0	✓	✓	✓		
12.7	✓	✓	✓		
15.0	✓	✓	✓		
15.88	✓	✓	✓		
16.0	✓	✓	✓		
19.05	✓	✓	✓		
20.0	✓	✓	✓		✓
22.22	✓	✓			
25.0	✓	✓	✓	✓	✓
25.4	✓	✓	✓		
30.0	✓	✓	✓	✓	✓
31.75	✓	✓	✓		
35.0	✓		✓		
38.1	✓	✓	✓		
40.0	✓	✓	✓	✓	✓
44.45	✓	✓	✓		
50.0				✓	✓
50.8	✓	✓	✓		
57.15	✓				
60.0	✓			✓	✓

Size mm	6082 T6	5083 0	MIC 6	ALUMEC 79	ALUMEC 89
63.5	✓	✓	✓		
69.85	✓				
70.0				✓	✓
76.2	✓	✓	✓		
80.0				✓	✓
82.55	✓				
88.9	✓	✓			
90.0				✓	✓
100.0				✓	✓
101.6	✓	✓			
114.3	✓	✓			
120.0				✓	✓
127.0	✓	✓			
130.0					✓
150.0					✓
152.4	✓	✓			
160.0					✓
170.0					✓
177.8	✓				
200.0	✓				✓
203.2	✓				
228.6	✓				
250.0					✓
254.0	✓				
304.0					✓
305.0	✓				
400.0					✓

Size mm	6082 T6	5083 0	MIC 6	2014
3.0	✓	✓		
4.0	✓	✓		
5.0	✓	✓		
6.0	✓	✓		
6.35	✓		✓	
8.0	✓	✓	✓	
9.53	✓	✓	✓	
10.0	✓	✓	✓	
12.0	✓	✓	✓	
12.7	✓	✓	✓	
15.0	✓	✓	✓	
15.88	✓	✓	✓	✓
16.0	✓	✓	✓	
19.05	✓	✓	✓	✓
20.0	✓	✓	✓	✓
22.23	✓	✓	✓	
25.0	✓	✓	✓	✓
25.4	✓	✓	✓	✓
30.0	✓	✓	✓	✓
31.75	✓	✓	✓	✓
35.0	✓		✓	
38.1	✓	✓	✓	✓

Size mm	6082 T6	5083 0	MIC 6	2014
40.0	✓	✓	✓	
44.45	✓	✓	✓	✓
50.8	✓	✓	✓	✓
57.15	✓	✓		✓
60.0	✓			
63.5	✓	✓	✓	✓
69.85	✓	✓		✓
76.2	✓	✓	✓	✓
82.55	✓			
88.9	✓	✓		✓
101.6	✓	✓		✓
114.3	✓	✓		✓
127.0	✓	✓		✓
139.7	✓			
152.4	✓	✓		✓
165.1	✓			
177.8	✓			
200.0	✓			
203.2	✓			
228.6	✓			
254.0	✓			
305.0	✓			

## Plate

ALLOYS: 6082

ROLLED 5083

MIC 6

2014 PLATE

Plate can also be cut to  
customer requirements

## Quarter Hard Circles

1200-H12

Diameter	Thickness	Weight each (Kg)
125mm	0.9mm	0.030
155mm	0.9mm	0.046
180mm	0.9mm	0.062
190mm	0.9mm	0.069
215mm	0.9mm	0.089
220mm	0.9mm	0.093
225mm	0.9mm	0.097
320mm	0.9mm	0.196
345mm	0.9mm	0.228
240mm	1.2mm	0.147
300mm	1.2mm	0.230
305mm	1.2mm	0.238
320mm	1.2mm	0.262
330mm	1.2mm	0.278
365mm	1.2mm	0.340
380mm	1.2mm	0.369
470mm	1.2mm	0.565
620mm	1.2mm	0.983

## Soft Circles

1200-0

Diameter	Thickness	Weight each (Kg)
180mm	1.2mm	0.083
205mm	1.2mm	0.107
240mm	1.2mm	0.147
250mm	1.2mm	0.160
270mm	1.2mm	0.186
280mm	1.2mm	0.200
300mm	1.2mm	0.230
305mm	1.2mm	0.238
330mm	1.2mm	0.278
360mm	1.2mm	0.331
380mm	1.2mm	0.369
390mm	1.2mm	0.389
400mm	1.2mm	0.409
405mm	1.2mm	0.419
420mm	1.2mm	0.451
490mm	1.2mm	0.614
550mm	1.2mm	0.773
570mm	1.2mm	0.830
600mm	1.2mm	0.920
620mm	1.2mm	0.983

## Soft Circles (continued...)

1200-0

Diameter	Thickness	Weight each (Kg)
210mm	1.6mm	0.150
240mm	1.6mm	0.196
260mm	1.6mm	0.230
265mm	1.6mm	0.239
295mm	1.6mm	0.297
305mm	1.6mm	0.317
330mm	1.6mm	0.371
375mm	1.6mm	0.479
390mm	1.6mm	0.518
430mm	1.6mm	0.630
545mm	1.6mm	1.012
610mm	1.6mm	1.268
650mm	1.6mm	1.440
680mm	1.6mm	1.576
300mm	2.0mm	0.383
320mm	2.0mm	0.436
340mm	2.0mm	0.492
390mm	2.0mm	0.648
410mm	2.0mm	0.716
440mm	2.0mm	0.825
460mm	2.0mm	0.901
495mm	2.0mm	1.043
530mm	2.0mm	1.197
550mm	2.0mm	1.289
580mm	2.0mm	1.433
270mm	2.5mm	0.388
290mm	2.5mm	0.448
305mm	2.5mm	0.496
380mm	2.5mm	0.769
465mm	2.5mm	1.151
560mm	2.5mm	1.670
345mm	3.0mm	0.761

### ALUMINIUM SLIT COIL

Sizes range from:

- Gauge: 0.25mm > 3.0mm
- Widths available: 10mm > 1250mm
- Tolerance:  $\pm 0.127$ mm

### STAINLESS STEEL SLIT COIL

Sizes range from:

- Gauge: 0.4mm > 2.0mm
- Widths available: 10mm > 1250mm
- Tolerance:  $\pm 0.127$ mm

Please enquire for specific gauge and width configurations available

### ALUMINIUM PRECISION BLANKS

Sizes range from:

- Gauge: 0.25mm > 2.0mm
- Widths available: 50mm > 1000mm
- Length Min/Max: 150mm > 3000m
- Tolerance Width:  $\pm 0.127$ mm
- Tolerance Length:  $\pm 0.5$ mm

### STAINLESS STEEL PRECISION BLANKS

Sizes range from:

- Gauge: 0.4mm > 2.0mm
- Widths available: 50mm > 1000mm
- Length Min/Max: 150mm > 3000m
- Tolerance Width:  $\pm 0.127$ mm
- Tolerance Length:  $\pm 0.5$ mm

Polycoating available on all products on request

Contact your **local** Blackburns today,  
or **Coil Processing** on **01384 282 350**

(see back cover for location and contact details)

Thickness (mm)	1050	1200	3103	3004	3005	5251	5005	5182
0.25	✓	✓				✓		
0.28	✓							
0.30	✓					✓		
0.34	✓							
0.38	✓							
0.40	✓							
0.42	✓				✓			
0.46	✓							
0.48								
0.50	✓				✓			
0.56	✓					✓		
0.60	✓							
0.65			✓					
0.70	✓					✓		
0.80	✓			✓				
0.90	✓		✓			✓		
1.00	✓		✓					
1.20	✓					✓	✓	
1.25							✓	✓
1.40						✓		
1.50	✓						✓	✓
1.60	✓					✓		
2.00	✓					✓	✓	
2.50						✓	✓	
3.00	✓		✓			✓		

Thickness (mm)	ART90	ART101	ART180	ART145	ART125	ART230	ART235	ART250
0.40	✓	✓	✓	✓	✓	✓	✓	
0.50	✓	✓	✓				✓	✓

Thickness (mm)	V95100	V95138	V95145	MILL BGT	WHITE	STUCCO	GOLD
0.30				✓			✓
0.35				✓			
0.40	✓	✓	✓			✓	
0.45					✓		
0.50	✓	✓					✓
0.77					✓		
0.90						✓	

## Coil

MILL FINISH

## Anodised Coil

LIGHTING  
& ARCHITECTURAL



**BLACKBURNS**  
METALS LIMITED

## Aluminium, Stainless Steel and non-ferrous alloys...

Blackburns is one of Europe's leading suppliers of Aluminium, Stainless Steel and other semi finished non-ferrous products. Its name is synonymous with high quality and service levels throughout industry, with a reputation for innovative products and supply partnerships.

With a strategically placed network of Sales and Service Centres, Blackburns provides immediate stock availability and local service to a wide range of industry and market sectors, with what is probably the most comprehensive product range and processing facilities in the UK. Local stock is enhanced by a central facility which carries over 10,000 tonnes of material in over 200,000 square feet, all of which is available on a daily basis to each Service Centre throughout the UK.

Focused on customer requirements, a significant investment has been made in processing and fabricating facilities, allowing Blackburns to supply material closer to final form, providing the option of bespoke sizes and finishes previously unavailable, creating a real opportunity of a 'one stop shop'.

Blackburns remains responsive to the constant fluctuation in demand faced by its customers, with the ability to supply most parts of the UK within 24 hours and globally through its Export Department, Blackburns are committed to building long term cost saving relationships with its customers.

## Contact your local Blackburns today...

(see back cover for locations and contact details)

# Blackburns Products & Services

## ALUMINIUM

- Sheet
- Patterned Sheet
- Plate
- Coils & Blanks
- Circles
- Shate
- Special Extrusions
- Angles
- Tee & Zed Sections
- Channels
- Flat Bar
- Round Bar
- Square Bar
- Welding Wire
- Round Tube
- Rectangular Tube
- Gutters & Cope
- Fluted Edges & Nosings
- Wallboard Sections

## STAINLESS STEEL

- Sheet
- Treadplate
- Plate
- Coil
- Section
- Pipe
- Circle Polished
- Flanges
- Seamless Tube
- Hygienic Tube & Fittings
- High Purity Tube & Fittings
- Screwed Fittings
- Socket Weld Fittings
- Structural & Decorative Tube

## BRASS

- Rod
- Hexagon
- Angle
- Square
- Tube
- Plate
- Flat Bar
- Sheet

## BRONZE

- Drawn Rod
- Rod
- Hexagon
- Hollow Bar
- Plate
- Sheet

## COPPER

- Tube
- Flat Bar
- Sheet
- Plate
- Round Bar

## COIL PROCESSING

- Aluminium Slit Coil
- Stainless Steel Slit Coil
- Aluminium Precision Blanks
- Stainless Steel Precision Blanks

## PLATE

- Aluminium Plate 5083
- Aluminium Plate 6082
- Alumecc 79-89-99
- MIC-6

## ARCHITECTURAL PRODUCTS / SURFACE DESIGN

- Composite Panels
- Anodised Sheet
- Patterned Sheet
- Handrail System

## FABRICATION PROCESSING

- Plastic Coating
- Guillotining
- Bench Tooling
- Bending
- Slitting
- Shearing
- Sawing
- Tapping & Drilling
- Blanking
- Mitrting
- Punching
- Pressing

## SIGNS & SIGN COMPONENTS

- Achromed & Painted Sheet
- Aluminium Circles
- Aluminium Triangles
- Aluminium Rails
- Aluminium Tee Sections
- Aluminium Round Posts
- Aluminium Square Posts
- Steel Round Posts
- Steel Square Posts
- Plastisol Coated Sheet
- Planking Systems
- Trays
- Clip Sections
- Composite Panels
- Stainless Steel Banding Systems

## MARINE PRODUCTS

- Marine Aluminium
- Marine Stainless Steel
- BCP Composite
- Yellow metals

©2011 BLACKBURNS METALS LTD


All copyrights are reserved and no part of this publication may be reproduced, transmitted or stored in any form or by any means without the prior permission of Blackburns Metals Limited.

## DISCLAIMER

The information contained herein is for guidance only. No liability will be accepted by the Company.



decp061 | w



#### BEDFORD

Edison Road  
Elms Farm Industrial Estate  
Bedford MK41 0HU  
t. 01234 684 100  
bedford@blackburnsmetals.com

#### EDENBRIDGE

Commerce Way  
Edenbridge  
Kent TN8 6ED  
t. 01732 582 700  
edenbridge@blackburnsmetals.com

#### LEEDS

Units 3 & 4  
Benyon Park  
Leeds LS12 6DP  
t. 0113 386 3280  
leeds@blackburnsmetals.com

#### READING

9-10 Stadium Way, Reading  
Berkshire RG30 6BX  
t. 0118 945 5542  
reading@blackburnsmetals.com

#### BRIDGEND

Coegnant Close  
Brackla Industrial Estate  
Bridgend  
Mid Glamorgan CF31 2AH  
t. 01656 683 900  
bridgend@blackburnsmetals.com

#### HAYDOCK

Unit 6, Wilcock Road  
Old Boston Trading Estate  
Haydock, St. Helens  
Merseyside WA11 9SR  
t. 01942 758 800  
haydock@blackburnsmetals.com

#### NORWICH

13 Concorde Road  
Norwich  
Norfolk  
NR6 6BJ  
t. 01603 243 900  
norwich@blackburnsmetals.com

#### PLATE / COIL CENTRE

Building 43, Third Avenue  
The Pensnett Estate  
Kingswinford DY6 7UU  
t. 01384 282 360 (plate)  
t. 01384 282 350 (coil)  
plate@blackburnsmetals.com  
coil@blackburnsmetals.com

#### BRISTOL

St. Andrews Trading Estate  
Third Way, Avonmouth  
Bristol BS11 9YE  
t. 0117 948 2600  
bristol@blackburnsmetals.com

#### KINGSWINFORD

Building 31, Second Avenue  
The Pensnett Estate  
Kingswinford DY6 7UE  
t. 01384 282 630  
kingswinford@blackburnsmetals.com

#### PLYMOUTH

Unit K1, Eagle Road  
Langage Business Park  
Plymouth, Devon PL7 5JY  
t. 01752 612 400  
plymouth@blackburnsmetals.com

#### MARKETING AND EXPORT

Building 38, Second Avenue  
The Pensnett Estate  
Kingswinford DY6 7UN  
t. 01384 276 419  
marketing@blackburnsmetals.com

