



BLACKBURNS
METALS LIMITED

Structural & Decorative Tube Bar & Sections Seamless Tube Hygienic Tube Structural & Decorative Tube Aluminium Butt Weld Fittings Hygienic Fittings Architectural Stainless Steel Rolled Products Mirror Polished Fittings Setting Industry Standards MIC 6 Rolled Products Stainless Steel Welded Mesh Seamless Pipe Welded Pipe Brass Seamless Butt Weld Fittings Welded Butt Weld Fittings Yellow Metals Fittings Seamless Butt Weld Fittings Stainless Steel Copper Structural & Decorative Tube Hygienic Tube Sign & Display Materials Seamless Tube Hygienic Tube Glazing Bar Flanges Fittings Rolled Products Nationwide Supply Solutions Welded Pipe Circle Polish Welded Mesh

Yellow Metals Section...

Polish MIC 6 Butt Weld Fittings Bar Seamless Butt Weld Fittings Welded Pipe Welded Butt Weld Fittings Flanges Seamless Tube Mirror Polish Fixtures & Fittings Hygienic Tube Stainless Steel Nationwide Supply Solutions Hygienic Fittings The Perfect Choice Bar & Sections Yellow Metals Welded Mesh Mirror Polish Aluminium Circle Polish Architectural Rolled Products Seamless Pipe Bronze Seamless Butt Weld Fittings Welded Butt Weld Fittings Welded Pipe Flanges Seamless Tube Circle Polish Hygienic Tube Mirror Polish Glazing Bar Structural & Decorative Tube Brass Sign & Display Materials Seamless Tube Hygienic Tube Bar & Sections Butt Weld Fittings Seamless Tube Flanges Hygienic Fittings Fittings Rolled Products Welded Pipe Circle Polish Mirror Polished Bronze MIC 6 Nationwide Supply Solutions Fixtures & Fittings Copper Bar & Sections Seamless Tube Hygienic Tube Structural & Decorative Tube Aluminium Butt Weld Fittings Hygienic Fittings Architectural Stainless Steel Rolled Products Mirror Polished Fittings Setting Industry Standards MIC 6 Rolled Products Stainless Steel Welded Mesh Seamless Pipe Welded Pipe Brass Seamless Butt Weld Fittings Welded Butt Weld Fittings



Blackburns Yellow Metals...

Blackburns range of yellow metals includes bronze, brass, copper and its alloys and is widely used in many applications and industries.

The products versatility ensures good conductivity the properties include strength; ductility; hardness, corrosion resistance and low magnetic permeability. It is available in a variety of colours, together with ease of machining, plating, forming and polishing.

Our local stocks enhanced by our central facility hold all of the frequently required forms of copper and its alloys including sheet, plate, machining rod & hollow rod, flat bar, hexagon bar and tube.

We also offer a complete range of fabrication and processing services including machining bar, pipe and tube cutting throughout our nationwide network of sales and distribution centres.

BRASS ROD70
BRASS HEXAGON72
BRASS ANGLE, SQUARE, TUBE73
BRASS FLAT BAR74
BRASS SHEET75
ALUMINIUM BRONZE, BRONZE DRAWN ROD76
BRONZE ROD77
BRONZE SHEET77
COPPER FLAT BAR78
COPPER SHEET79
COPPER ROUND BAR80
COPPER TUBE81

Contact your **local** Blackburns today...

(see back cover for location and contact details)

Rod CW614N/CZ121M

FREE MACHINING BRASS
3 METRE LENGTHS
BSEN 12164

Diameter (inches unless specified)	Weight per metre (Kg)
1/8	0.07
3/16	0.15
5/32	0.10
4mm	0.11
5mm	0.17
7/32	0.21
6mm	0.24
1/4	0.27
7mm	0.33
9/32	0.34
5/16	0.42
8mm	0.43
11/32	0.51
9mm	0.54
3/8	0.61
10mm	0.67
13/32	0.17
15/32	0.95
7/16	0.82
12mm	0.96
1/2	1.08
13mm	1.13
17/32	1.22
9/16	1.36
14mm	1.31
15mm	1.50
5/8	1.63
16mm	1.71
21/32	1.86
17mm	1.92
11/16	2.04
18mm	2.16
23/32	2.23
3/4	2.42
20mm	2.67
13/16	2.84
22mm	3.23
7/8	3.30
15/16	3.79
29/32	3.53
24mm	3.84
25mm	4.17

Diameter (inches unless specified)	Weight per metre (Kg)
1	4.31
1 1/16	4.86
26mm	4.51
28mm	5.23
1 1/8	5.45
30mm	6.01
1 3/16	6.07
1 1/4	6.73
1 5/16	7.42
1 3/8	8.14
35mm	8.18
36mm	8.65
1 7/16	8.90
1 1/2	9.69
40mm	10.70
1 5/8	11.40
1 3/4	13.20
1 7/8	15.10
50mm	16.70
2	17.20
2 1/8	19.40
2 1/4	21.80
60mm	24.00
2 3/8	24.30
2 1/2	26.90
65mm	28.21
2 5/8	29.70
2 3/4	32.60
3	38.80
3 1/4	45.50
3 1/2	52.80
4	68.90
4 1/4	77.80
4 1/2	87.20
130mm	108.00
140mm	129.00
155mm	155.00
180mm	210.00
205mm	281.00
230mm	353.00
255mm	434.00

Diameter (inches unless specified)	Weight per metre (Kg)
$\frac{3}{16}$	0.15
5mm	0.17
$\frac{1}{4}$	0.27
$\frac{5}{16}$	0.42
$\frac{3}{8}$	0.61
10mm	0.66

Diameter (in)	Weight per metre (Kg)
$\frac{7}{16}$	0.82
$\frac{1}{2}$	1.08
$\frac{5}{8}$	1.68
$\frac{3}{4}$	2.42
$\frac{7}{8}$	3.30
1	4.31

Diameter (in)	Weight per metre (Kg)
$\frac{1}{4}$	0.27
$\frac{3}{8}$	0.61
$\frac{7}{16}$	0.82
$\frac{1}{2}$	1.08
$\frac{9}{16}$	1.32
$\frac{5}{8}$	1.68
$1\frac{1}{16}$	1.97
$\frac{3}{4}$	2.42
$1\frac{3}{16}$	2.75
$\frac{7}{8}$	3.30
1	4.31

Diameter (in)	Weight per metre (Kg)
$1\frac{1}{8}$	5.45
$1\frac{1}{4}$	6.73
$1\frac{3}{8}$	8.14
$1\frac{1}{2}$	9.69
$1\frac{3}{4}$	13.20
2	17.20
$2\frac{1}{4}$	21.80
$2\frac{1}{2}$	26.90
$2\frac{3}{4}$	32.60
3	38.80
4	68.90

Diameter (in)	Weight per metre (Kg)
$\frac{1}{4}$	0.27
$\frac{3}{8}$	0.61
$\frac{1}{2}$	1.08
$\frac{5}{8}$	1.67
$\frac{3}{4}$	2.42
$\frac{7}{8}$	3.28
1	4.31
$1\frac{1}{4}$	6.73

Diameter (in)	Weight per metre (Kg)
$1\frac{1}{2}$	9.69
$1\frac{5}{8}$	11.30
$1\frac{3}{4}$	13.11
2	17.20
$2\frac{1}{2}$	26.90
3	38.80
4	68.90

* Bars over 3 inches in diameter may vary in length

Rod CW606N/CZ131

RIVETING QUALITY BRASS
3 METRE LENGTHS
BSEN 12164

Rod CW721R & 722R/ CZ114M

HIGH TENSILE BRASS /
MANGANESE BRONZE
3 METRE LENGTHS
BSEN 12163

Rod CW712R/CZ112

NAVAL BRASS
3 METRE LENGTHS *
BSEN 12163

Hexagon CW614N/CZ121M

FREE MACHINING BRASS

3 METRE LENGTHS

BSEN 12164

Size AF (inches unless specified)	Weight per metre (Kg)
0.248	0.29
5mm	0.18
¼	0.30
6mm	0.27
7mm	0.36
⅝	0.46
8mm	0.47
0.324	0.50
⅜	0.67
10mm	0.74
11mm	0.89
0.445	0.94
⅞	0.91
12mm	1.06
½	1.19
13mm	1.24
0.525	1.31
14mm	1.44
⅝	1.50
15mm	1.65
0.60	1.71
⅝	1.86
16mm	1.88
17mm	2.13
1⅛	2.24
18mm	2.37
0.71	2.39
19mm	2.66
¾	2.67
1⅜	3.14
20mm	2.95
0.820	3.19
22mm	3.56

Size AF (inches unless specified)	Weight per metre (Kg)
⅞	3.69
0.920	4.02
1⅝	4.17
24mm	4.24
1	4.75
1.010	4.84
1⅞	5.36
1.100	5.76
1⅞	6.01
30mm	6.63
1.200	6.84
1¼	7.42
32mm	7.54
1.300	8.03
1⅝	8.29
1⅜	8.98
36mm	9.54
1.480	10.40
1½	10.70
1⅝	12.50
41mm	12.40
1.670	13.20
1¾	14.50
1.860	16.40
46mm	15.60
50mm	18.40
2.050	19.90
2.200	23.00
2½	29.70
65mm	31.10
2¾	35.90
3	42.70

Size (in)	Weight per metre (Kg)
$\frac{1}{2} \times \frac{1}{2} \times \frac{1}{8}$	0.30
$\frac{3}{4} \times \frac{3}{4} \times \frac{1}{8}$	0.94
$1 \times 1 \times \frac{1}{8}$	1.29
$1\frac{1}{4} \times 1\frac{1}{4} \times \frac{1}{8}$	1.63
$1\frac{1}{2} \times 1\frac{1}{2} \times \frac{1}{8}$	1.97
$1\frac{1}{2} \times 1\frac{1}{2} \times \frac{3}{16}$	2.89

Size (in)	Weight per metre (Kg)
$1\frac{1}{2} \times 1\frac{1}{2} \times \frac{1}{4}$	3.77
$2 \times 2 \times \frac{1}{8}$	2.66
$2 \times 2 \times \frac{3}{16}$	3.99
$2 \times 2 \times \frac{1}{4}$	5.14
$2\frac{1}{2} \times 2\frac{1}{2} \times \frac{1}{4}$	6.43
$3 \times 3 \times 1\frac{1}{4}$	7.71

Size (in)	Weight per metre (Kg)
$\frac{1}{8}$	0.09
$\frac{3}{16}$	0.19
$\frac{1}{4}$	0.34
$\frac{5}{16}$	0.54
$\frac{3}{8}$	0.77
$\frac{7}{16}$	1.05
$\frac{1}{2}$	1.37
$\frac{5}{8}$	2.14
$\frac{3}{4}$	3.08
$\frac{7}{8}$	4.20

Size (in)	Weight per metre (Kg)
1	5.48
$1\frac{1}{4}$	8.57
$1\frac{1}{2}$	12.30
$1\frac{3}{4}$	16.80
2	21.90
$2\frac{1}{4}$	27.80
$2\frac{1}{2}$	34.00
$2\frac{3}{4}$	41.50
3	49.40

Size (in)	Weight per metre (Kg)
$\frac{3}{8}$ o/d x 20 swg	0.21
$\frac{3}{8}$ o/d x 18 swg	0.27
$\frac{1}{2}$ o/d x 20 swg	0.29
$\frac{1}{2}$ o/d x 18 swg	0.37
$\frac{1}{2}$ o/d x 16 swg	0.48
$\frac{5}{8}$ o/d x 20 swg	0.37
$\frac{5}{8}$ o/d x 16 swg	0.62
$\frac{3}{4}$ o/d x 16 swg	0.75
$\frac{3}{4}$ o/d x 20 swg	0.44
$\frac{3}{4}$ o/d x 18 swg	0.58
$\frac{7}{8}$ o/d x 20 swg	0.52
1 o/d x 20 swg	0.59
1 o/d x 18 swg	0.78
1 o/d x 16 swg	1.03

Size (in)	Weight per metre (Kg)
1 o/d x 10 swg	1.91
$1\frac{1}{4}$ o/d x 16 swg	1.30
$1\frac{1}{2}$ o/d x 20 swg	0.90
$1\frac{1}{2}$ o/d x 18 swg	1.19
$1\frac{1}{2}$ o/d x 16 swg	1.57
$1\frac{1}{2}$ o/d x 10 swg	3.03
$1\frac{3}{4}$ o/d x 16 swg	1.85
2 o/d x 20 swg	1.22
2 o/d x 18 swg	1.60
2 o/d x 16 swg	2.12
2 o/d x 10 swg	4.13
$2\frac{1}{2}$ o/d x 16 swg	2.67
3 o/d x 16 swg	3.22

Angle CW624N/CZ130

12 FT LENGTHS
BSEN 12167

Square CW614N/CZ121M

FREE MACHINING BRASS
3 METRE LENGTHS
BSEN 12164

Tube CW508L/CZ108

HALF HARD
5 METRE LENGTHS
BSEN 12449

Flat Bar CW614N/CZ121

FREE MACHINING BRASS

12 FT LENGTHS

BSEN 12167

Size (in)	Weight per metre (Kg)
$\frac{3}{8} \times \frac{1}{8}$	0.26
$\frac{3}{8} \times \frac{3}{16}$	0.38
$\frac{3}{8} \times \frac{1}{4}$	0.52
$\frac{1}{2} \times \frac{1}{8}$	0.34
$\frac{1}{2} \times \frac{3}{16}$	0.50
$\frac{1}{2} \times \frac{1}{4}$	0.69
$\frac{1}{2} \times \frac{5}{16}$	0.83
$\frac{1}{2} \times \frac{3}{8}$	1.03
$\frac{5}{8} \times \frac{1}{8}$	0.43
$\frac{5}{8} \times \frac{1}{4}$	0.86
$\frac{5}{8} \times \frac{3}{8}$	1.29
$\frac{5}{8} \times \frac{1}{2}$	1.71
$\frac{3}{4} \times \frac{1}{8}$	0.51
$\frac{3}{4} \times \frac{3}{16}$	0.77
$\frac{3}{4} \times \frac{1}{4}$	1.03
$\frac{3}{4} \times \frac{5}{16}$	1.28
$\frac{3}{4} \times \frac{3}{8}$	1.54
$\frac{3}{4} \times \frac{1}{2}$	2.06
$\frac{3}{4} \times \frac{5}{8}$	2.55
$1 \times \frac{1}{8}$	0.69
$1 \times \frac{3}{16}$	1.03
$1 \times \frac{1}{4}$	1.37
$1 \times \frac{5}{16}$	1.72
$1 \times \frac{3}{8}$	2.06
$1 \times \frac{1}{2}$	2.74
$1 \times \frac{5}{8}$	3.45
$1 \times \frac{3}{4}$	4.11
$1\frac{1}{4} \times \frac{1}{8}$	0.85
$1\frac{1}{4} \times \frac{1}{4}$	1.71
$1\frac{1}{4} \times \frac{3}{8}$	2.57
$1\frac{1}{4} \times \frac{1}{2}$	3.43
$1\frac{1}{4} \times \frac{3}{4}$	5.14
$1\frac{1}{4} \times 1$	6.85
$1\frac{1}{2} \times \frac{1}{8}$	1.03
$1\frac{1}{2} \times \frac{3}{16}$	1.54
$1\frac{1}{2} \times \frac{1}{4}$	2.06
$1\frac{1}{2} \times \frac{3}{8}$	3.08
$1\frac{1}{2} \times \frac{1}{2}$	4.11

Size (in)	Weight per metre (Kg)
$1\frac{1}{2} \times \frac{5}{8}$	5.15
$1\frac{1}{2} \times \frac{3}{4}$	6.11
$1\frac{1}{2} \times 1$	8.23
$1\frac{3}{4} \times \frac{1}{2}$	4.75
$2 \times \frac{1}{8}$	1.37
$2 \times \frac{3}{16}$	2.06
$2 \times \frac{1}{4}$	2.74
$2 \times \frac{3}{8}$	4.11
$2 \times \frac{1}{2}$	5.48
$2 \times \frac{5}{8}$	6.79
$2 \times \frac{3}{4}$	8.17
2×1	11.00
$2 \times 1\frac{1}{4}$	13.75
$2 \times 1\frac{1}{2}$	16.30
$2\frac{1}{2} \times \frac{1}{4}$	3.43
$2\frac{1}{2} \times \frac{3}{8}$	5.08
$2\frac{1}{2} \times \frac{1}{2}$	6.86
$2\frac{1}{2} \times \frac{3}{4}$	10.02
$2\frac{1}{2} \times 1$	13.60
$2\frac{1}{2} \times 1\frac{1}{4}$	17.03
$2\frac{1}{2} \times 1\frac{1}{2}$	20.30
$2\frac{1}{2} \times 1\frac{3}{4}$	23.73
$3 \times \frac{1}{8}$	2.06
$3 \times \frac{1}{4}$	4.11
$3 \times \frac{3}{8}$	6.17
$3 \times \frac{1}{2}$	8.23
3×1	16.50
$3 \times 1\frac{1}{2}$	24.70
3×2	32.90
$4 \times \frac{1}{8}$	2.74
$4 \times \frac{1}{4}$	5.48
$4 \times \frac{3}{8}$	8.17
$4 \times \frac{1}{2}$	11.00
$4 \times \frac{3}{4}$	16.30
4×1	21.90
$4 \times 1\frac{1}{2}$	32.70
4×2	43.90

Size	Weight per sheet (Kg)
2m x 1m x 0.45mm	8.00
4' x 2' x 26 swg	2.90
2m x 1m x 0.55mm *	9.30
4' x 2' x 0.55mm	3.45
2m x 1m x 0.7mm *	11.80
4' x 2' x 0.7mm	4.40
8' x 1m x 0.9mm	19.00
2m x 1m x 0.9mm *	15.20
4' x 2' x 0.9mm	5.65
2.5m x 1.25m x 1.2mm	31.72
8' x 1mm x 1.2mm *	25.00
2m x 1m x 1.2mm *	20.30
4' x 2' x 18 swg	7.54
2.5m x 1.25m x 1.5mm	39.53
4' x 2' x 16 swg	10.00

Size	Weight per sheet (Kg)
8' x 1m x 1.5mm *	31.00
2m x 1m x 1.5mm *	25.30
2.5m x 1.25m x 2mm	52.81
2m x 1m x 2mm *	33.80
4' x 2' x 2mm	12.60
2m x 1m x 2.5mm *	42.25
4' x 2' x 12 swg	16.70
2m x 1m x 3mm *	50.70
2.5m x 1.25m x 3mm	79.21
4' x 2' x 10 swg	20.40
2m x 1m x 4mm	67.60
2m x 1m x 5mm	86.00
2m x 1m x 3/16"	80.00
2m x 1m x 1/4"	107.00

* Also stocked Bright Polished and Plastic Coated one side

Size	Weight per sheet (Kg)
2m x 1m x 0.45mm	8.00
2m x 1m x 0.55mm	9.30
4' x 2' x 24 swg	3.45
2m x 1m x 0.7mm	11.80
2m x 1m x 0.9mm	15.20

Size	Weight per sheet (Kg)
4' x 2' x 20 swg	5.65
2m x 1m x 1.2mm	20.30
4' x 2' x 18 swg	7.54
2m x 1m x 1.6mm	27.00
2m x 1m x 2mm	33.83

Sheet CW508L-H095/ CZ108-H/H

BSEN 1652

Sheet CW505L/CZ106

70 / 30 SOFT

SPINNING QUALITY

BSEN 1652

Aluminium Bronze

GRADE 2 PART 2

NES 833

Diameter (in)	Weight per metre (Kg)
$\frac{5}{8}$	1.50
$\frac{3}{4}$	2.17
$\frac{7}{8}$	2.96
1	3.85
$1\frac{1}{8}$	4.87
$1\frac{1}{4}$	6.02
$1\frac{3}{8}$	7.28
$1\frac{1}{2}$	8.66
$1\frac{5}{8}$	10.20
$1\frac{3}{4}$	11.80
2	15.40
$2\frac{1}{8}$	17.40
$2\frac{1}{4}$	19.50
$2\frac{3}{8}$	21.70

Diameter (in)	Weight per metre (Kg)
$2\frac{1}{2}$	24.10
$2\frac{5}{8}$	26.50
$2\frac{3}{4}$	29.10
3	34.70
$3\frac{1}{4}$	40.70
$3\frac{1}{2}$	47.20
$3\frac{3}{4}$	54.50
4	61.60
$4\frac{1}{2}$	78.00
5	96.30
$5\frac{1}{2}$	116.00
6	139.00
7	189.00

Drawn Rod PB102

BS 2874

Diameter (in)	Weight per metre (Kg)
$\frac{1}{2}$	1.12
$\frac{5}{8}$	1.75
$\frac{3}{4}$	2.52
$\frac{7}{8}$	3.43
1	4.48
$1\frac{1}{8}$	5.68
$1\frac{1}{4}$	7.01
$1\frac{3}{8}$	8.48
$1\frac{1}{2}$	10.00
$1\frac{3}{4}$	13.70

Diameter (in)	Weight per metre (Kg)
$1\frac{5}{8}$	15.90
2	17.90
$2\frac{1}{8}$	20.40
$2\frac{1}{2}$	28.00
$2\frac{3}{4}$	33.90
3	40.40
$3\frac{1}{4}$	47.60
$3\frac{1}{2}$	54.90
4	71.70

Diameter (inches unless specified)	Weight per metre (Kg)
½	0.96
¾	1.50
20mm	2.39
¾	2.95
1	3.85
32mm	6.11
1½	8.66
45mm	12.00

Diameter (inches unless specified)	Weight per metre (Kg)
2	4.40
60mm	4.40
65mm	4.20
70mm	5.20
3	5.70
3½	6.20
4	6.60

Size	Weight per sheet (Kg)
2m x 1m x 0.55mm	9.79
4' x 2' x 24 swg	3.64
2m x 1m x 0.7mm	12.50
2m x 1m x 0.9mm	16.00

Size	Weight per sheet (Kg)
4' x 2' x 20 swg	5.95
2m x 1m x 1.2mm	21.40
4' x 2' x 18 swg	7.94
2m x 1m x 1.5mm	28.50

Rod CA104

ALUMINIUM BRONZE
BS 2874 / BSB 23

Sheet CW024A/C106

SOFT
SPINNING QUALITY
BSEN 1652

Flat Bar CW004A/C101

HARD DRAWN

HIGH CONDUCTIVITY

RADIUS EDGE

4 - 4.2 METRE LENGTHS

BSEN 13601

Size (inches unless specified)	Weight per metre (Kg)
½ x ⅛	0.36
½ x ⅜	0.54
½ x ¼	0.72
⅝ x ⅛	0.45
¾ x ⅛	0.54
¾ x ⅜	0.81
¾ x ¼	1.08
20mm x 5mm	0.89
20mm x 6mm	1.07
20mm x 10mm	1.78
25mm x 3mm	0.67
25mm x 5mm	1.11
25mm x 6mm	1.34
25mm x 10mm	2.22
1 x ⅛	0.72
1 x ⅜	1.08
1 x ¼	1.44
1 x ½	2.87
30mm x 3mm	0.80
30mm x 5mm	1.34
30mm x 6mm	1.61
30mm x 10mm	2.67
1¼ x ⅛	0.90
1¼ x ⅜	1.35
1¼ x ¼	1.79
1½ x ⅛	1.08
1½ x ¼	2.15
1½ x ⅜	3.23
1½ x ½	4.31
40mm x 5mm	1.78
40mm x 6mm	2.14
40mm x 8mm	2.85
40mm x 10mm	3.56
50mm x 3mm	1.34
50mm x 5mm	2.23

Size (inches unless specified)	Weight per metre (Kg)
50mm x 6mm	2.67
50mm x 8mm	3.57
50mm x 10mm	4.45
2 x ⅛	1.44
2 x ⅜	2.15
2 x ¼	2.87
2 x ⅝	4.31
2 x ½	5.74
2 x ¾	8.61
60mm x 6mm	3.20
60mm x 10mm	5.34
2½ x ¼	5.59
2½ x ⅜	5.38
2½ x ½	7.18
3 x ¼	4.31
3 x ⅜	6.46
3 x ½	8.61
80mm x 10mm	7.12
80mm x 12mm	8.54
100mm x 6mm	5.34
100mm x 10mm	8.90
100mm x 12mm	10.60
4 x ¼	5.74
4 x ⅜	8.61
4 x ½	11.50
120mm x 6mm	6.42
120mm x 10mm	10.70
5 x ¼	7.18
5 x ½	14.30
150mm x 6mm	8.02
150mm x 10mm	13.40
6 x ¼	8.61
6 x ½	17.20
160mm x 10mm	14.20
200mm x 10mm	17.80

Size	Weight per sheet (Kg)
2m x 1m x 0.55mm	9.79
4' x 2' x 24 swg	3.64
2m x 1m x 0.7mm	12.50
4' x 2' x 22 swg	4.63
2m x 1m x 0.9mm	16.00
4' x 2' x 20 swg	5.95
2.5 x 1.25m x 1.2mm	33.30
2m x 1m x 1.2mm	21.40
4' x 2' x 18 swg	7.94
2.5m x 1.25m x 1.5mm	41.70
2m x 1m x 1.5mm	26.72
4' x 2' x 16 swg	10.60
2.5m x 1.25m x 2mm	55.60
2m x 1m x 2mm	35.60

Size	Weight per sheet (Kg)
4' x 2' x 14 swg	13.20
2m x 1m x 2.5mm	44.50
4' x 2' x 12 swg	17.46
2.5m x 1.25m x 3mm	83.40
2m x 1m x 3mm	53.40
4' x 2' x 10 swg	21.50
2m x 1m x 4mm	74.00
4' x 2' x $\frac{3}{16}$	31.50
2m x 1m x 5mm	89.00
2m x 1m x 6mm	106.00
2.5m x 1.25m x 6mm	174.00
2.5m x 1.25m x 8mm	235.00
2.5m x 1.25m x 10mm	289.00

Size	Weight per sheet (Kg)
2m x 1m x 0.9mm	16.00
4' x 2' x 20 swg	5.94
2m x 1m x 1.2mm	21.40
2m x 1m x 1.5mm	26.70
1200 x 600 x 1.6mm	10.20

Size	Weight per sheet (Kg)
2m x 1m x 2mm	35.60
1200 x 600 x 2mm	12.80
2m x 1m x 3mm	53.40
4' x 2' x 10 swg	21.50
2m x 1m x 4mm	74.00

Sheet CW024A/C106

HALF HARD
BSEN 1652

Sheet CW004A/C101

HALF HARD
BSEN 1652

Round Bar CW004A/C101

HARD DRAWN
HIGH CONDUCTIVITY
4 - 4.2 METRE LENGTHS
BSEN 13601

Diameter (inches unless specified)	Weight per metre (Kg)
¼	0.28
⅓	0.44
½	0.63
10mm	0.70
12mm	1.01
½	1.13
⅝	1.76
16mm	1.79
20mm	2.80
¾	2.54
⅞	3.45
25mm	4.39
1	4.51
1⅛	5.71
30mm	6.32

Diameter (inches unless specified)	Weight per metre (Kg)
1 ¼	7.05
1 ⅝	8.53
1 ½	10.00
40mm	11.20
1 ⅞	11.90
1 ¾	13.80
45mm	14.10
50mm	17.40
2	18.00
2 ¼	22.80
2 ½	28.20
2 ¾	34.10
3	40.60
3 ¼	45.30
4	72.20

Round Bar CW114C/C111

HARD
3 - 3.2 METRE LENGTHS
BSEN 12614

Diameter (in)	Weight per metre (Kg)
½	1.13
¾	2.54
1	4.51

Size (in)	Weight per metre (Kg)
¼ o/d x 20 swg	0.14
¼ o/d x 18 swg	0.17
⅜ o/d x 20 swg	0.22
⅜ o/d x 18 swg	0.29
½ o/d x 20 swg	0.30
½ o/d x 18 swg	0.39
½ o/d x 16 swg	0.50
⅝ o/d x 20 swg	0.38
⅝ o/d x 20 swg	0.46
¾ o/d x 18 swg	0.61
¾ o/d x 16 swg	0.79

Size (in)	Weight per metre (Kg)
⅞ o/d x 20 swg	0.54
⅞ o/d x 16 swg	0.94
⅞ o/d x 18 swg	0.72
1 o/d x 20 swg	0.63
1 o/d x 18 swg	0.83
1 o/d x 16 swg	1.08
1¼ o/d x 16 swg	1.37
1½ o/d x 16 swg	1.66
2 o/d x 16 swg	2.24
2½ o/d x 16 swg	2.81

Tube CW024A/C106

HALF HARD

6 METRE LENGTHS

BSEN 12449

If you can't find what you're looking for call us...

Contact your **local** Blackburns today...

(see back cover for location and contact details)



BLACKBURNS
METALS LIMITED

Aluminium, Stainless Steel and non-ferrous alloys...

Blackburns is one of Europe's leading suppliers of Aluminium, Stainless Steel and other semi finished non-ferrous products. Its name is synonymous with high quality and service levels throughout industry, with a reputation for innovative products and supply partnerships.

With a strategically placed network of Sales and Service Centres, Blackburns provides immediate stock availability and local service to a wide range of industry and market sectors, with what is probably the most comprehensive product range and processing facilities in the UK. Local stock is enhanced by a central facility which carries over 10,000 tonnes of material in over 200,000 square feet, all of which is available on a daily basis to each Service Centre throughout the UK.

Focused on customer requirements, a significant investment has been made in processing and fabricating facilities, allowing Blackburns to supply material closer to final form, providing the option of bespoke sizes and finishes previously unavailable, creating a real opportunity of a 'one stop shop'.

Blackburns remains responsive to the constant fluctuation in demand faced by its customers, with the ability to supply most parts of the UK within 24 hours and globally through its Export Department, Blackburns are committed to building long term cost saving relationships with its customers.

Contact your **local** Blackburns today...

(see back cover for locations and contact details)

Blackburns Products & Services

ALUMINIUM

- Sheet
- Patterned Sheet
- Plate
- Coils & Blanks
- Circles
- Shate
- Special Extrusions
- Angles
- Tee & Zed Sections
- Channels
- Flat Bar
- Round Bar
- Square Bar
- Welding Wire
- Round Tube
- Rectangular Tube
- Gutters & Cope
- Fluted Edges & Nosings
- Wallboard Sections

STAINLESS STEEL

- Sheet
- Treadplate
- Plate
- Coil
- Section
- Pipe
- Circle Polished
- Flanges
- Seamless Tube
- Hygienic Tube & Fittings
- High Purity Tube & Fittings
- Screwed Fittings
- Socket Weld Fittings
- Structural & Decorative Tube

BRASS

- Rod
- Hexagon
- Angle
- Square
- Tube
- Plate
- Flat Bar
- Sheet

BRONZE

- Drawn Rod
- Rod
- Hexagon
- Hollow Bar
- Plate
- Sheet

COPPER

- Tube
- Flat Bar
- Sheet
- Plate
- Round Bar

COIL PROCESSING

- Aluminium Slit Coil
- Stainless Steel Slit Coil
- Aluminium Precision Blanks
- Stainless Steel Precision Blanks

PLATE

- Aluminium Plate 5083
- Aluminium Plate 6082
- Alumecc 79-89-99
- MIC-6

ARCHITECTURAL PRODUCTS / SURFACE DESIGN

- Composite Panels
- Anodised Sheet
- Patterned Sheet
- Handrail System

FABRICATION PROCESSING

- Plastic Coating
- Guillotining
- Bench Tooling
- Bending
- Slitting
- Shearing
- Sawing
- Tapping & Drilling
- Blanking
- Mitrting
- Punching
- Pressing

SIGNS & SIGN COMPONENTS

- Achromed & Painted Sheet
- Aluminium Circles
- Aluminium Triangles
- Aluminium Rails
- Aluminium Tee Sections
- Aluminium Round Posts
- Aluminium Square Posts
- Steel Round Posts
- Steel Square Posts
- Plastisol Coated Sheet
- Planking Systems
- Trays
- Clip Sections
- Composite Panels
- Stainless Steel Banding Systems

MARINE PRODUCTS

- Marine Aluminium
- Marine Stainless Steel
- BCP Composite
- Yellow metals

©2011 BLACKBURNS METALS LTD


All copyrights are reserved and no part of this publication may be reproduced, transmitted or stored in any form or by any means without the prior permission of Blackburns Metals Limited.

DISCLAIMER

The information contained herein is for guidance only. No liability will be accepted by the Company.



decp061|w



BEDFORD

Edison Road
Elms Farm Industrial Estate
Bedford MK41 0HU
t. 01234 684 100
bedford@blackburnsmetals.com

EDENBRIDGE

Commerce Way
Edenbridge
Kent TN8 6ED
t. 01732 582 700
edenbridge@blackburnsmetals.com

LEEDS

Units 3 & 4
Benyon Park
Leeds LS12 6DP
t. 0113 386 3280
leeds@blackburnsmetals.com

READING

9-10 Stadium Way, Reading
Berkshire RG30 6BX
t. 0118 945 5542
reading@blackburnsmetals.com

BRIDGEND

Coegnant Close
Brackla Industrial Estate
Bridgend
Mid Glamorgan CF31 2AH
t. 01656 683 900
bridgend@blackburnsmetals.com

HAYDOCK

Unit 6, Wilcock Road
Old Boston Trading Estate
Haydock, St. Helens
Merseyside WA11 9SR
t. 01942 758 800
haydock@blackburnsmetals.com

NORWICH

13 Concorde Road
Norwich
Norfolk
NR6 6BJ
t. 01603 243 900
norwich@blackburnsmetals.com

PLATE / COIL CENTRE

Building 43, Third Avenue
The Pensnett Estate
Kingswinford DY6 7UU
t. 01384 282 360 (plate)
t. 01384 282 350 (coil)
plate@blackburnsmetals.com
coil@blackburnsmetals.com

BRISTOL

St. Andrews Trading Estate
Third Way, Avonmouth
Bristol BS11 9YE
t. 0117 948 2600
bristol@blackburnsmetals.com

KINGSWINFORD

Building 31, Second Avenue
The Pensnett Estate
Kingswinford DY6 7UE
t. 01384 282 630
kingswinford@blackburnsmetals.com

PLYMOUTH

Unit K1, Eagle Road
Langage Business Park
Plymouth, Devon PL7 5JY
t. 01752 612 400
plymouth@blackburnsmetals.com

MARKETING AND EXPORT

Building 38, Second Avenue
The Pensnett Estate
Kingswinford DY6 7UN
t. 01384 276 419
marketing@blackburnsmetals.com

